

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4376	type with tile	USPAT; DERWENT	OR	ON	2005/06/16 08:06
L2	1	1 and ((group\$4 near3 pixels) with layer)	USPAT; DERWENT	OR	ON	2005/06/16 08:07
L3	33	1 and ((group\$4 near3 pixels) and layer)	USPAT; DERWENT	OR	ON	2005/06/16 08:07
L4	11	3 and (coding or encoding)	USPAT; DERWENT	OR	ON	2005/06/16 08:07

	<b>U</b>	<b>1</b>	<b>Document ID</b>	<b>Issue Date</b>	<b>Pages</b>
1			US 6853318 B1	20050208	27
2		X	US 6717576 B1	20040406	393
3			US 6653954 B2	20031125	22
4		X	US RE36145 E	19990316	62
5		X	US 5263136 A	19931116	62
6		X	US 5170468 A	19921208	54
7		X	US 5131080 A	19920714	55
8			US 5056044 A	19911008	55
9		X	US 5029105 A	19910702	56
10		X	US 4965751 A	19901023	55

	<b>Title</b>	<b>Current OR</b>	<b>Current XRef</b>
1	Digital image compression utilizing shrinkage of subband coefficients	341/50	341/51; 375/240.1
2	Deferred shading graphics pipeline processor having advanced features	345/419	345/506; 345/522
3	System and method for efficient data compression	341/63	358/426.13
4	System for managing tiled images using multiple resolutions	345/538	345/501; 345/555; 382/232; 709/200
5	System for managing tiled images using multiple resolutions	345/538	345/555
6	Graphics system with shadow ram update to the color map	345/537	345/564
7	Graphics frame buffer with RGB pixel cache	345/557	345/545; 345/556
8	Graphics frame buffer with programmable tile size	345/568	
9	Programmable pipeline for formatting RGB pixel data into fields of selected size	345/539	345/600; 345/605
10	Graphics system with programmable tile size and multiplexed pixel data and partial pixel addresses based on tile size	345/572	345/559

	Retrieval Classif	Inventor	S	C	P	2	3	4	5
1		Rabbani; Majid et al.	X						
2		Duluk, Jr.; Jerome F. et al.	X						
3		Rijavec; Nenad	X						
4		DeAguiar; John R. et al.	X						
5		DeAguiar; John R. et al.	X						
6		Shah; Monish S. et al.	X						
7		Fredrickson; Robert W. et al.	X						
8		Frederickson; Robert W. et al.	X						
9		Coleman; Mark D. et al.	X						
10		Thayer; Larry J. et al.	X						

	<b>Image Doc. Displayed</b>	<b>PT</b>
1	US 6853318	
2	US 6717576	
3	US 6653954	
4	US RE36145	
5	US 5263136	
6	US 5170468	
7	US 5131080	
8	US 5056044	
9	US 5029105	
10	US 4965751	

	U	1	Document ID	Issue Date	Pages
11	X		US 20020114527 A	20020822	56

	<b>Title</b>	<b>Current OR</b>	<b>Current XRef</b>
11	Image coding method for copier, facsimile, involves grouping pixels in predetermined type of image tile into pixels belonging to two different layers, which are processed differently		

	<b>Retrieval Classif</b>	<b>Inventor</b>	<b>S</b>	<b>C</b>	<b>P</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>
11		HORIE, H							

	<b>Image Doc. Displayed</b>	<b>PT</b>
11	US 20020114527	